



TILE & STONE FIXING SOLUTIONS



Scan to explore the
weber champion app



SCAN KARO, VIDESH JAO

Visit: www.in.weber Toll-Free: 18002678889

Stay connected with us:




About us:

Weber, a Saint-Gobain brand that cares about building better for people and the planet. We, at Weber are guided by a common purpose of Saint-Gobain:

“MAKING THE WORLD A BETTER HOME”.

Our local footprint and international network:



Standard Tile Adhesives



weber set premier

Tile adhesive for fixing
ceramic tiles on walls & floors

Packaging: 20 kg, 40 kg

Color: Grey

CIT

TYPE 1 T



Ideal for:

- Fixing ceramic tiles in internal area.
- Wall & floor in dry areas.
- Applications requiring low shrinkage.
- Bed thickness up to 3-12 mm.

Standard Tile Adhesives



weber firstwhite

Tile Adhesive for fixing natural stone on floors and ceramic tiles on wall

Packaging: 20 kg, 40 kg

Color: White

CIT

TYPE 1 T



Ideal for:

- Fixing natural stone (floor) & ceramic tiles on floor & wall upto 3 m.
- Internal use in dry areas.
- Bed thickness of 3-12 mm.



Standard Tile Adhesives

weber set classic


Tile adhesive for fixing small size vitrified tiles on internal floors

Packaging: 20 kg, 40 kg

Color: Grey

CITE

TYPE 2 T



Ideal for:

- Fixing Vitrified tiles on floor in internal areas.
- Tile-on-tile application for vitrified tiles on ceramic tile floors.
- No sag formula.
- Bed thickness up to 3-12 mm.

Standard Tile Adhesives



weber set wonder

Tile adhesive for fixing vitrified tiles and natural stones on internal walls and floors

Packaging: 20 kg, 40kg

Color: Grey

CIT

TYPE 2 T



Ideal for:

- Fixing ceramic, semi-vitrified, vitrified tiles & natural stones on wall & floor.
- Use in internal & external areas*.
- Dry & wet areas.
- Tile-on-tile applications.
- Bed thickness up to 3-12 mm.



Standard Tile Adhesives

weber set nova
Tile adhesive for fixing
vitrified tiles on walls & floor

Packaging: 20 kg, 40 kg
Color: Grey, White

CITE

TYPE 2 T



Ideal for:

- Fixing low porosity vitrified tiles on wall & floor; natural stones on floor.
- Tile-on-tile applications.
- Use in internal & external* applications.
- Dry & wet areas.
- Bed thickness up to 3-12 mm.

Improved Tile Adhesives



weber set nova plus

Tile adhesive for fixing vitrified tile and natural stones on internal walls, floors and external* floors

Packaging: 20 kg, 40kg

Color: Grey

C2TE

TYPE 2 T



Ideal for:

- Fixing low porosity ceramic, vitrified tiles & natural stones.
- Use in internal wall & floor and external* floor area only.
- Dry & wet areas.
- Bed thickness up to 3-12 mm.



weber set plus- white

Tile adhesive for fixing granite & natural stones in window jambs and door frames

Packaging: 20 kg

Color: White

C2T

TYPE 3 T



Ideal for:

- Fixing natural stones in window jambs & door frames.
- Use on wall & floor in regular traffic areas.
- Internal & external applications in dry & wet areas.
- Withstanding mechanical operations.
- Bed thickness upto 3-12 mm.



weber set firm


Tile adhesive for natural stone cladding

Packaging: 20 kg

Color: Grey, White

C2TE

TYPE 3 T



Ideal for:

- Fixing tiles, mosaics & stone on wall & floor.
- Use for internal & external applications.
- Long open time.
- Wet & heat prone areas.
- Bed thickness upto 3-12 mm.



Improved Tile Adhesives

weber set flex

Tile adhesive for fixing
tile & stone in vibration prone areas

Packaging: 20 kg

Color: Grey, White

C2TES1

TYPE 4 TSI



Ideal for:

- Fixing tiles, mosaics & stone in low to medium vibration prone areas.
- Use in internal & external areas for wall & floor application.
- Moisture prone areas.
- Bed thickness up to 3-12 mm.

Improved Tile Adhesives



weberset flex+

Tile adhesive for large vitrified tiles and natural stones

Packaging: 20 kg
Color: Grey, White

C2TES1

TYPE 4 TSI



Ideal for:

- Fixing large vitrified tiles & natural stones in vibration prone areas.
- High coverage and sag resistance.
- Vertical cladding in facades.
- Swimming pool, bathrooms & saunas because of its water & heat ageing properties.
- Bed thickness up to 3-12 mm.



Improved Tile Adhesives

weber set ultra

Tile adhesive for cladding of natural, impregnated and artificial stones

**Packaging: 21 kg
(16 kg Component A
& 5L Component B)**

Color: White

C2TES1

TYPE 4 TS1



Ideal for:

- Fixing impregnated, artificial & natural stone; large format tiles in areas with moderate substrate movement.
- Prolonged & easy workability.
- Cladding on wall & floor in internal & external applications.
- Dry & wet areas.
- Bed thickness up to 3-12 mm.



Improved Tile Adhesives


weber set monohiflex

Tile adhesive for large format thin tiles and stone cladding

Packaging: 20 kg

Color: White

C2TES2 **TYPE 4 TS2**



Ideal for:

- Fixing impregnated, artificial* & natural stone; large format thin tiles in areas with moderate substrate movement.
- Cladding on wall & floor in internal & external applications.
- Dry & wet areas.
- Bed thickness up to 12 mm.



High Performance Tile Adhesives

weberset glass mosaic

Tile adhesive for glass mosaics

Packaging: 20 kg

Color: White

C2TE

TYPE 3 T



Ideal for:

- Fixing glass mosaic and other variety of tiles & stones.
- Dry & wet areas on wall & floor.
- Areas with some movement, deflection or limited shrinkage.
- Swimming pools, as it absorbs dynamic loads.
- Heavy duty applications.
- Underwater at depth upto 10 meters.



High Performance Tile Adhesives

weberset drywall

Tile adhesive for large-format stones on drywall and plywood

Packaging: 20 kg (A: 15 kg; B: 5 kg)

5 kg (A: 3.75 kg; B: 1.25 kg)

Color: Component A: White

Component B: Pale Yellow



C2TFS2P2

Ideal for:

- Fixing large format tiles & stones on drywall & plywood.
- Moisture sensitive tiles & stones.
- Preventing damage to wooden substrates or tiles & water sensitive stone.
- Tile cladding upto 50 ft height without support bracket*.



High Performance Tile Adhesives

weberfix PU

Thin set tile adhesive for all types of tiles and stone on any substrate

Packaging: 10 kg (A:B::9:1)

Color: Part A - Off white

Part B - Pale yellow



Ideal for:

- Fixing tiles & stones on metals & drywalls.
- Fixing tile-on-tile & tile-on-stone.
- Deformable substrates like wood, metal & rubber, etc.
- Tiles & stones prone to water absorption & thermal expansion.
- Bed thickness of 3-6 mm.



High Performance Tile Adhesives

weberfix PU Hiflex

High performance tile adhesive with no vertical slip on deformable substrates

Packaging: 5 kg (A: 2.5 kg; B: 2.5 kg)

Color: Part A - Off white

Part B - Light yellow



Ideal for:

- Fixing large & thin format tiles & stone on metal, glass, plywood & AAC wall panel.
- Tile & stone prone to water absorption & thermal expansion.
- For absorbent and non absorbent deformable substrates like wood, metal, glass, rubber, PVC, linoleum, asphalt etc.
- Chemical resistant.
- Bed thickness up to 3-6 mm.



High Performance Tile Adhesives

weberfix SpotOn

Quick-setting epoxy adhesive
for tile and stone

Packaging: 2 kg

(Part A: 1 kg Resin +

Part B: 1 kg Hardener)

Color: Light yellow

R₂T



Ideal for:

- Spot bonding on vertical applications & thin bed applications of floor tiles/stones.
- Fast setting epoxy adhesive application.
- Internal & approved external** applications.



Additive

weber cementonic+

Powder based high performance additive for cement slurry

Packaging: 300 g

Color: White



Ideal for:

- Enhancing traditional tile laying method on floors.
- Use with cement screed or slurry.
- Decreases slurry consumption & increases strength of traditional cement.
- Easy to use & economical.



Epoxy Grouts

weberjoint poxy & weberjoint poxyfill

3-component epoxy tile grout

Packaging: 1 kg, 5 kg, 20 kg
(2:1:8::Resin:Hardener:Filler)

Color: 46 shades

RG



Ideal for:

- It is a 3 component epoxy tile grout, suited for all tiles & stones.
- High performance & chemical resistant.
- Ideal for industrial applications, hospitals, kitchens, heavy traffic areas.
- Dry & wet areas on wall & floor.
- Joint width upto 2-14 mm.



Epoxy Grouts

weberepox easy

High productivity, 2-component,
easy to apply
epoxy tile grout & adhesive

**Packaging: 5 kg (A: 4 kg Resin,
B: 1 kg Hardener)**

1 kg (A: 800 g & B: 200 g)

Color: 12 shades

RG



Ideal for:

- It is a 2 component epoxy tile grout, suited for all tiles & stones.
- Suitable for hygiene sensitive areas .
- High mechanical & chemical resistance.
- Low water absorption.
- Joint width upto 12 mm.



Epoxy Grouts

weberepox 2K

2-component epoxy tile grout

**Packaging: 5 kg (Part A Resin: 4.6 kg
& Part B Hardener liquid: 400 g)**

1 kg (A: 920 g & B: 80 g)

Color: 12 shades



Ideal for:

- It is a 2 component epoxy tile grout, suited for all tiles & stones.
- Ideal for application on wall & floor .
- Suitable for hygiene sensitive areas.
- Low water absorption.
- Joint width upto 10 mm.



Epoxy Grouts

weber shine armor

2-component glitter based epoxy tile grout

Packaging: 1 kg, 5 kg

(Component A Resin:

Component B hardener::11.5:1)

Color: Gold, Silver, Copper

RG



Ideal for:

- It is a two component, glitter based, decorative epoxy grout.
- Ideal for both residential & commercial use.
- External & internal application, on wall & floor.
- Used in dry, wet & submerged conditions.
- Joint width from 1 mm to 7 mm (wall) & 14 mm (Floor).
- For aesthetic & decorative finish.



Epoxy Grouts

weber pearl armor

2-component translucent epoxy tile grout

Packaging: 1 kg, 5 kg

(Component A Resin:

Component B hardener::11.5:1)

Color: Translucent White

RG



Ideal for:

- It is a two component, translucent decorative epoxy grout.
- Unique reflective appearance for decorative & visual appeal.
- UV resistant.
- Internal & external application, on wall & floor.
- Used in dry, wet & submerged conditions.
- Ideal for semi-transparent tiles & stones.
- Joint width from 1 mm to 7 mm (wall) & 14 mm (floor).



Epoxy Grouts

weber knight armor

2-component photo luminescent epoxy tile grout

Packaging: 1 kg, 5 kg

(Component A Resin:

Component B hardener::11.5:1)

Color: Green, Blue

RG



Ideal for:

- 300 to 1000 lux gives luminescence for 5-8 hrs in complete darkness.
- Can also be used as adhesive for fixing transparent glass tiles & blocks.
- Aesthetic & decorative finish.
- Joint width from 1 mm to 7 mm (wall) & 14 mm (floor).
- Internal & external application, on wall & floor (dry, wet & submerged).
- Seepage & stain resistant.



Cementitious Grouts

weber.color fine

Polymer modified unsanded colored tile grout

Packaging: 500 g, 1 kg, 30 kg

Color: 26 shades



Ideal for:

- It is a polymer modified cementitious grout for ceramic tiles, vitrified tiles, marble, granite, mosaic and natural stone.
- Used for internal & external application, on wall & floor.
- Joint width upto 6 mm.



Cementitious Grouts

weber.color dewdrop

Water repellent unsanded colored tile grout

Packaging: 500 g, 1 kg

Color: 18 shades



Ideal for:

- It is a water repellent tile grout for ceramic tile, vitrified tile, marble, granite, mosaic, & natural stone.
- For internal & external application on wall & floor.
- Joint width upto 6 mm.



Additive

weber groutadd

Liquid additive for
cementitious grout

Packaging: 350 ml, 20 L

Color: Milky white



Ideal for:

- Used as additive to enhance the strength & durability of tiles & stones in dry & wet areas.
- Ideal for internal & external application on wall & floor.
- Helps fill wider joints.
- Joint width upto 8 mm.
- Suited for: ceramic, vitrified, marbles, granites and glass mosaic.



webersys stoneprotect

Impregnating sealer that protects the underlayer of extra porous stones & stones prone to discoloration.

Packaging: 1 L, 20 L

Color: Milky white



Ideal for:

- Protection of extra porous stones like granites, marble, limestone, slate, sandstone, and grouts.
- Sealing under surface of tiles & stones.
- For protecting surface from internal spots/darkening.



webersys stone seal

**Solvent based impregnating sealer
for tile & stones**

Packaging: 1 L, 20 L

Color: Light yellowish



Ideal for:

- Protection of natural and synthetic stones in external & internal areas.
- Water and oil stain resistance on treated surfaces.
- Maintains the natural color of stone and tile.
- Vapor diffusion and surface sealing.




webersys aquaseal

Water based impregnating sealer
for tile & stone

Packaging: 1L, 20L

Color: Clear liquid



Ideal for:

- Protection of natural and artificial stones, including low porous stones and marble.
- External & internal application.
- Oil & water repellent.
- Maintaining natural color of stone & tile.



weberklin ceraplus

Acid-based tile cleaner
for ceramic surfaces

Packaging: 1 L, 5 L

Color: Blue



Ideal for:

- Heavy duty cleaning and stain removal on ceramic materials like tiles, bathtubs, and washbasins.
- Removing salt buildups caused by stagnant or continuous water exposure.
- Pre-cleaning of tile joints before grouting.
- Routine cleaning in dilute state.

Weber Tools

weber tile spacer

Available in: 2, 3, 4, 5 and
10 mm thickness



Product Description

Tool ensures uniform gaps and perfect alignment between tiles.

weber notch trowel

Available in: 3 mm, 6 mm &
9 mm



Product Description

Tool ensures efficient mortar distribution & adhesion with all types of tiles & stone.

Weber Tools

webertool squeegee



Product Description

Tool ensures easy grout application for both cementitious & epoxy grouts.

weber grout cutter



Product Description

Tool ensures easy and clean cutting of gaps between tiles before grouting.

Weber Tools

weber tile plier



Product Description

Tool ensures assistance with accurate levelling & bonding of tiles onto surfaces.

weber tile levelling wedges & clips



Available in: 2, 3, 4 &
5 mm

Product Description

Tool ensures uniform levelling, consistent gaps & no lip-page for tiles & stones.

Weber Tools

weber rubber mallet



Product Description

Tool ensures levelling & adhesion to substrate without damage to tiles.

***Scan product QR and refer data sheet for more information**